

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(filter and symbol and (interval period timeslot) and intermit\$7 and off and (power voltage) and supply).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:36
L2	1	(filter and reference and clock and multipl\$8 and (low near pass) and (cut\$6 near3 frequency) and sample and hold and analog and digital and converter).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:50
L3	1	(filter and reference and clock and ("XOR" exclusiv \$7) and duty and ratio and register and intermit\$8). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:55
L4	1	(filter same reference same clock same ("XOR" exclusiv \$7) same duty same ratio same register same intermit \$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:59

L5	1	(filter same reference same clock same multipl\$8 same (low near pass) same (cut\$6 near3 frequency) same sample same hold same analog same digital same converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 15:01
L6	29	(filter same reference same clock same multipl\$8 same (low near pass) same (cut\$6 near3 frequency) same converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 15:02
L7	1	6 and (intermit \$8 with off with (power voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 15:03
L8	1	6 and (intermit \$8 same off same (power voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 15:03
L9	1	6 and (intermit \$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 15:04

5/ 14/ 09 3:05:59 PM

**C:\ Documents and Settings\ DNguyen7\ My Documents\ EAST\ Workspaces
\ default.wsp**